


ORDER CODE: PR - XX - XX - AX10XXXX - XXX - XXX

PR1600 SERIES - MILD STEEL CROSS DRILLED AXLE GRAVITY ROLLER - GREASED BEARINGS

DIMENSION	MEASUREMENT
TD	
A	
OB	
OA	
EXTN	
D	
LC	



BELOW ARE TUBE DIAMETER OPTIONS, PLEASE SELECT AXLE FROM THE SAME ROW

TUBE DIAMETER & THICKNESS	AXLE DIAMETER OPTIONS							
	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø
50 x 1.5	10	11	12		15		17	
51 x 2.0	10	11	12		15		17	
51 x 3.0	10	11	12		15		17	
60 x 2.0	10	11	12		15			
60 x 3.0							17	
63.5 x 3.0				14		16		20
70 x 3.0							17	
80 x 3.0								20

PART CODE BREAKDOWN

PR = GREASED BEARINGS
 TD = TUBE DIA (E.G. 50)
 A = AXLE DIA (E.G. 10)
 AX10 = CROSS DRILLED AXLE
 D = HOLE DIA. (E.G. 5MM)
 LC = LOCATION OF HOLE (E.G 10MM)
 OB = OVER BEARING (E.G 400MM)
 OA = OVER AXLE (E.G 440MM)

EXAMPLE: **PR-50-10-AX10510-400-440**
 FOR A Ø50 ROLLER WITH 10MM AXLE
 WITH A CROSS DRILLED HOLE 5MM IN DIA.
 LOCATED 10MM FROM THE END OF AXLE.
 WITH AN OVERBEARING LENGTH OF
 400MM AND AN AXLE LENGTH OF 440MM

UNIT 3, ALBION WORKS
 MOOR STREET,
 BRIERLEY HILL,
 WEST MIDS,
 ENGLAND,
 DY5 3SZ



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS		DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING	DWG NO. PR-ORDER-AX10	A3
NAME K JEAVONS	REVISION 1	DATE 12/01/2024	FINISH: BZP MATERIAL: MILD STEEL	SCALE: 1:2	SHEET 1 OF 1

COPYRIGHT RESERVED REVISION: 1

TITLE:
 PR-ORDER-AX10