


ORDER CODE: PR - XX - XX - AX6XXXX - XXX - XXX

PR1600 SERIES - MILD STEEL MALE THREADED AXLE GRAVITY ROLLER - GREASED BEARINGS

DIMENSION	MEASUREMENT
TD	
A	
OB	
OA	
EXTN	
M	
LG	



BELOW ARE TUBE DIAMETER OPTIONS, PLEASE SELECT AXLE FROM THE SAME ROW

TUBE DIAMETER & THICKNESS	AXLE DIAMETER OPTIONS (mm)							
	Ø	Ø	Ø	Ø	Ø	Ø	Ø	Ø
50 x 1.5	10	11	12		15		17	
51 x 2.0	10	11	12		15		17	
51 x 3.0	10	11	12		15		17	
60 x 2.0	10	11	12		15			
60 x 3.0							17	
63.5 x 3.0				14		16		20
70 x 3.0							17	
80 x 3.0								20

PART CODE BREAKDOWN

PR = GREASED BEARINGS
 TD = TUBE DIA (E.G. 50)
 A = AXLE DIA (E.G. 10)
 AX6 = MALE THREADED AXLE
 M = THREAD SIZE (E.G. 6MM)
 LG = LENGTH OF THREAD (E.G 15MM)
 OB = OVER BEARING (E.G 400MM)
 OA = OVER AXLE (E.G 440MM)

EXAMPLE: PR-50-10-AX6615-400-440
 FOR A Ø50 ROLLER WITH 10MM TURNED DOWN AND MALE THREADED AXLE WITH A THREAD SIZE OF M6 BY A LENGTH OF 15MM. WITH AN OVERBEARING LENGTH OF 400MM AND AN AXLE LENGTH OF 440MM

UNIT 3, ALBION WORKS
MOOR STREET,
BRIERLEY HILL,
WEST MIDS,
ENGLAND,
DY5 3SZ



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS		DEBURR AND BREAK SHARP EDGES		DO NOT SCALE DRAWING		DWG NO.	
				FINISH: BZP		PR-ORDER-AX6	
DRAWN: K JEAUVONS		REVISION: 1		DATE: 12/01/2024		MATERIAL: MILD STEEL	
				WEIGHT:		SCALE: 1:2	
						SHEET 1 OF 1	

COPYRIGHT RESERVED REVISION: 1

TITLE: A3