


8 7 6 5 4 3 2 1

PRODUCT: PR - ^{TD}XX - ^AXX - AX3 ORDER DESC.: OBXX - OAXX - AX3^{DF LG}XXXX

PR1600 SERIES - MILD STEEL ROLLER WITH D-FLATTED AXLE - GREASED BEARINGS

DIMENSION	MEASUREMENT
TD	
A	
OB	
OA	
EXTN	
DF	
LG	



BELOW ARE TUBE DIAMETER OPTIONS, PLEASE SELECT AXLE FROM THE SAME ROW

TD	TUBE DIAMETER & THICKNESS	ROUND AXLE (A)				
		∅	∅	∅	∅	∅
50	50 x 1.5	10	11	12	15	17
50MD	51 x 2.0	10	11	12	15	17
50HD	51 x 3.0	10	11	12	15	17
60	60 x 2.0	10	11	12	15	
60HD	60 x 3.0	17				
63	63.5 x 3.0	16	20			
70MD	70 x 2.0	15	17			
703	70 x 3.0	17				
803	80 x 3.0	20				

PART CODE BREAKDOWN

TD = TUBE DIAMETER
 A = AXLE DIA
 OB = OVER BEARING
 OA = OVER AXLE

AX3 = D-FLATTED AXLE
 DF = ACROSS FLAT
 LG = LENGTH OF FLAT

GENERATE ORDER CODE BELOW

QTY:

TD A AF LG

PR- - - AX3 OB OA AX3

UNIT 3, ALBION WORKS
 MOOR STREET,
 BRIERLEY HILL,
 WEST MIDS,
 ENGLAND,
 DY5 3SZ

AED Rollers
 Best rollers Best service

COPYRIGHT RESERVED		REVISION: 1	
TITLE: PR1600 SERIES			
DWG NO. PR-ORDER-AX3		A3	
SCALE:1:2		SHEET 1 OF 1	

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS		DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING
NAME	REVISION	DATE	FINISH: BZP
DRAWN	K JEAVONS	1	12/01/2024
MATERIAL: MILD STEEL		WEIGHT:	

8 7 6 5 4 3 2 1