


**PRODUCT: PR - <sup>TD</sup>XX - <sup>A</sup>XX - AX4      ORDER DESC.: OBXX - OAXX - AX4<sup>AF LG L</sup>XXXXXX**

PR1600 SERIES - MILD STEEL ROLLER WITH SLOTTED AXLE - GREASED BEARINGS

DIMENSION	MEASUREMENT
TD	
A	
OB	
OA	
EXTN	
AF	
LG	
L	



BELOW ARE TUBE DIAMETER OPTIONS, PLEASE SELECT AXLE FROM THE SAME ROW

TD	TUBE DIAMETER & THICKNESS	ROUND AXLE (A)				
		∅	∅	∅	∅	∅
50	50 x 1.5	10	11	12	15	17
50MD	51 x 2.0	10	11	12	15	17
50HD	51 x 3.0	10	11	12	15	17
60	60 x 2.0	10	11	12	15	
60HD	60 x 3.0	17				
63	63.5 x 3.0	16	20			
70MD	70 x 2.0	15	17			
703	70 x 3.0	17				
803	80 x 3.0	20				

PART CODE BREAKDOWN

TD = TUBE DIAMETER  
A = AXLE DIA  
OB = OVER BEARING  
OA = OVER AXLE

AX4 = SLOTTED AXLE  
AF = ACROSS FLAT  
LG = LENGTH OF FLAT  
L = LOCATION OF FLAT START

GENERATE ORDER CODE BELOW

QTY:

TD    A
AF LG L  
**PR- \_\_\_\_\_ - \_\_\_\_\_ - AX4**
**OB**\_\_\_\_\_
**OA**\_\_\_\_\_
**AX4**\_\_\_\_\_

UNIT 3, ALBION WORKS  
MOOR STREET,  
BRIERLEY HILL,  
WEST MIDS,  
ENGLAND,  
DYS 3SZ



COPYRIGHT RESERVED		REVISION: 1
TITLE: <b>PR1600 SERIES</b>		
DWG NO. <b>PR-ORDER-AX4</b>	A3	
SCALE:1:2	SHEET 1 OF 1	

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS		DEBURR AND BREAK SHARP EDGES	DO NOT SCALE DRAWING
NAME	REVISION	DATE	FINISH: BZP
DRAWN	K JEAVONS	1	12/01/2024
MATERIAL: MILD STEEL		WEIGHT:	